May 20, 2015

Ms. Laine Sumner
CH2M HILL Plateau Remediation Company
2420 Stevens Center
Richland, WA 99352

Re: ALS Workorder: 1503381
Project Name: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water
Project Number: F11-002

Dear Mr. Evans:

Three water samples were received from CH2M HILL Plateau Remediation Company, on 3/19/2015. The samples were scheduled for the following analyses:

Metals

The results for these analyses are contained in the enclosed reports.

This report was originally submitted on 3/31/2015. It is being re-submitted with new forms that list the correct method and correct MDL.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

ALS Environmental
Julie Ellingson
Project Manager

Problem and Discrepancy Report

ALS

SDG ALS1503381

05/05/15

The data package has the following issues:

ALS1503381 lists the method to measure chromium on this environmental sample as NIOSH7300.

The MDL/DL for chromium is reported as 7.4 ug/L

Resolution: *Provide correction.*

Lab Response: A revised report that lists the correct method and correct MDL is submitted. The EDD was submitted with the correct information.

Please correct the issues and re-submit the hard copy and electronic data package.

ALS is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Laboratory Certifications	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Maryland (MD)	285
Missouri	175
Nebraska	NE-OS-24-13
Nevada (NV)	CO000782008A
New Jersey (NJ)	CO003
North Dakota (ND)	R-057
Oklahoma	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington	C1280

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1503381
Client Name: CH2M HILL Plateau Remediation Company
Client Project Name: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water
Client Project Number: F11-002
Client PO Number: BOA 54854

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
B30C74	1503381-1		WATER	17-Mar-15	12:48
B30C72	1503381-2		WATER	17-Mar-15	12:15
B30C70	1503381-3		WATER	17-Mar-15	12:42

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			F11-002-101	PAGE 1 OF 1
COLLECTOR: S.W. King CHPRC	COMPANY CONTACT: SUMNER, LC	TELEPHONE NO.: 376-3922	PROJECT COORDINATOR: SUMNER, LC	PRICE CODE: 7H	DATA TURNAROUND: 30 Days / 30 Days
SAMPLING LOCATION: 100-KR-4, EFF VAL T-K5 (FILTER VENT)-001	PROJECT DESIGNATION: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water		SAF NO.: F11-002	AIR QUALITY: ☐	
ICE CHEST NO.: GW-476	FIELD LOGBOOK NO.: HNF-N-506-69	ACTUAL SAMPLE DEPTH: N/A	COA: 302891	METHOD OF SHIPMENT: FEDERAL EXPRESS	ORIGINAL
SHIPPED TO: ALS Environmental Ft. Collins	OFFSITE PROPERTY NO.: 5490		BILL OF LADING/AIR BILL NO.: 773154699514		

May 11, 2015

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HNO3 to pH <2
HOLDING TIME	6 Months
TYPE OF CONTAINER	G/P
NO. OF CONTAINER(S)	1
VOLUME	500mL
SAMPLE ANALYSIS	6020_METALS_ICPMS: COMMON {Chromium};

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B30C74	WATER	MAR 17 2015	1248	✓

150381

A COC 3-19-15

1

CHAIN OF POSSESSION		SIGN/ PRINT NAMES		SPECIAL INSTRUCTIONS
RELINQUISHED BY/REMOVED FROM: S.W. King CHPRC	DATE/TIME: MAR 17 2015 1415	RECEIVED BY/STORED IN: SSU-1	DATE/TIME: MAR 17 2015 1415	TRVL-15-018
RELINQUISHED BY/REMOVED FROM: SSU-1	DATE/TIME: MAR 18 2015 0815	RECEIVED BY/STORED IN: CHRIS FULTON CHPRC	DATE/TIME: MAR 18 2015 0815	
RELINQUISHED BY/REMOVED FROM: CHRIS FULTON CHPRC	DATE/TIME: MAR 18 2015 1400	RECEIVED BY/STORED IN: FEDEX	DATE/TIME:	
RELINQUISHED BY/REMOVED FROM: FED EX	DATE/TIME:	RECEIVED BY/STORED IN: C Trimble C Trimble	DATE/TIME: 3-23-15 0900	
RELINQUISHED BY/REMOVED FROM:	DATE/TIME:	RECEIVED BY/STORED IN:	DATE/TIME:	
RELINQUISHED BY/REMOVED FROM:	DATE/TIME:	RECEIVED BY/STORED IN:	DATE/TIME:	
RELINQUISHED BY/REMOVED FROM:	DATE/TIME:	RECEIVED BY/STORED IN:	DATE/TIME:	

TRVL-15-018

Rev. 1

5 of 16

LABORATORY SECTION	RECEIVED BY: C Trimble C Trimble	TITLE: SCGL	DATE/TIME: 3-19-15 0950
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD:	DISPOSED BY:	DATE/TIME:

PRINTED ON 3/17/2015

A-6003-618 (REV 2)

CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F11-002-099 | PAGE 1 OF 1

COLLECTOR S.W. King CHPRC	**COMPANY CONTACT** SUMNER, LC	**TELEPHONE NO.** 376-3922	**PROJECT COORDINATOR** SUMNER, LC
SAMPLING LOCATION 100-KR-4 INF VAL T-K3 (KP-16) -001 FTB	**PROJECT DESIGNATION** 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water		**SAF NO.** F11-002
ICE CHEST NO. GW5-426	**FIELD LOGBOOK NO.**	**ACTUAL SAMPLE DEPTH**	**COA** 302891
SHIPPED TO ALS Environmental Ft. Collins	**OFFSITE PROPERTY NO.** 5490		**BILL OF LADING/AIR BILL NO.** 773154699514

PRICE CODE 7H | **DATA TURNAROUND** 30 Days / 30 Days

AIR QUALITY ☐

METHOD OF SHIPMENT FEDERAL EXPRESS

ORIGINAL

May 11, 2015

1503381

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HNO3 to pH <2
HOLDING TIME	6 Months
TYPE OF CONTAINER	G/P
NO. OF CONTAINER(S)	1
VOLUME	~~500mL~~ 125mL 500mL
SAMPLE ANALYSIS	6020_METALS_ICPMS: COMMON {Chromium};

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B30C72	WATER	MAR 17 2015	1215	✓

(8) COT 3-19-15

(2)

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
S.W. King CHPRC	MAR 17 2015 1415	SSU-1	MAR 17 2015 1415
SSU-1	MAR 18 2015 0815	CHRIS FULTON CHPRC	MAR 18 2015 0815
CHRIS FULTON CHPRC	MAR 18 2015 1400	FED EX	
FED EX		C Trimble C Trimble	3-19-15 0950

SPECIAL INSTRUCTIONS
TRVL-15-018

TRVL-15-018

5 of 16

LABORATORY SECTION	**RECEIVED BY** C Trimble C Trimble	**TITLE** SCGL	**DATE/TIME** 3-19-15 0950
FINAL SAMPLE DISPOSITION	**DISPOSAL METHOD**	**DISPOSED BY**	**DATE/TIME**

PRINTED ON 3/17/2015

A-6003-618 (REV 2)

Rev. 1

CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F11-002-097 | PAGE 1 OF 1

COLLECTOR S.W. King CHPRC	**COMPANY CONTACT** SUMNER, LC	**TELEPHONE NO.** 376-3922	**PROJECT COORDINATOR** SUMNER, LC
PRICE CODE 7H	**DATA TURNAROUND** 30 Days / 30 Days	**AIR QUALITY** ☐	
SAMPLING LOCATION 100-KR-4 INF VAL T-K3 (KP-16) -001	**PROJECT DESIGNATION** 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water	**SAF NO.** F11-002	
ICE CHEST NO. GWS-426	**FIELD LOGBOOK NO.** HNF-N 506-69	**ACTUAL SAMPLE DEPTH** N/A	**COA** 302891
METHOD OF SHIPMENT FEDERAL EXPRESS	**ORIGINAL**		
SHIPPED TO ALS Environmental Ft. Collins	**OFFSITE PROPERTY NO.** 5490 N/A JDF 3/18/15	**BILL OF LADING/AIR BILL NO.** N/A JDF 3/19/15 7731546995 14	

May 11, 2015

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	HNO3 to pH <2
HOLDING TIME	6 Months
TYPE OF CONTAINER	G/P
NO. OF CONTAINER(S)	1
VOLUME	500mL
SAMPLE ANALYSIS	6020_METALS_ICPMS: COMMON {Chromium};

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B30C70	WATER	MAR 17 2015	1242	✓

150338 1

(A) JDF 3-19-15

(3)

CHAIN OF POSSESSION / **SIGN/ PRINT NAMES**

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
S.W. King CHPRC	MAR 17 2015 1415	SSU-1	MAR 17 2015 1415
SSU-1	MAR 18 2015 0815	CHRIS FULTON CHPRC	MAR 18 2015 0815
CHRIS FULTON CHPRC	MAR 18 2015 1400	FEDEX	
FED EX		C Trimble C Trimble	3-23-15 0900

SPECIAL INSTRUCTIONS
TRVL-15-018

TRVL-15-018

LABORATORY SECTION	**RECEIVED BY** C Trimble C Trimble	**TITLE** SCGL	**DATE/TIME** 3-19-15 0950
FINAL SAMPLE DISPOSITION	**DISPOSAL METHOD**	**DISPOSED BY**	**DATE/TIME**

7 of 16

Rev. 1

PRINTED ON 3/17/2015

A-6003-618 (REV 2)

ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: CHPRC Workorder No: 1503381

Project Manager: JE Initials: CDT Date: 3-19-15

1. Does this project require any special handling in addition to standard ALS procedures?		YES	(NO)
2. Are custody seals on shipping containers intact?	NONE	(YES)	NO
3. Are Custody seals on sample containers intact?	NONE	(YES)	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		(YES)	NO
5. Are the COC and bottle labels complete and legible?		(YES)	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		(YES)	NO
7. Were airbills / shipping documents present and/or removable?	DROP OFF	(YES)	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	N/A	(YES)	NO
9. Are all aqueous non-preserved samples pH 4-9?	(N/A)	YES	NO
10. Is there sufficient sample for the requested analyses?		(YES)	NO
11. Were all samples placed in the proper containers for the requested analyses?		(YES)	NO
12. Are all samples within holding times for the requested analyses?		(YES)	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		(YES)	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ____ < green pea ____ > green pea	(N/A)	YES	NO
15. Do any water samples contain sediment? Amount Amount of sediment: ____ dusting ____ moderate ____ heavy	N/A	YES	(NO)
16. Were the samples shipped on ice?		YES	(NO)
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 #4	RAD ONLY	YES	(NO)

Cooler #:	1							
Temperature (°C):	Amb							
No. of custody seals on cooler:	2							
DOT Survey/ Acceptance Information — External µR/hr reading:	11							
Background µR/hr reading:	11							

Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? (YES) / NO / NA (If no, see Form 008.)

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO / (NA) Contact: _____ Date/Time: _____

Project Manager Signature / Date: 3/23/15

*IR Gun #2: Oakton, SN 29922500201-0066
*IR Gun #4: Oakton, SN 2372220101-0002

1:2

Amb

1503381

From: (509) 373-3547
chris fulton
CH2M
6267 latah st

richland, WA 99354

Origin ID: PSCA

FedEx Express

J1512150223030v

Ship Date: 18MAR15
ActWgt: 21.0 LB
CAD: 107066051/INET3610

Delivery Address Bar Code

Ref # pb#5490
Invoice #
PO #
Dept #

SHIP TO: (970) 498-1511
Julie Ellingson

225 Commerce Drive

FORT COLLINS, CO 80524

BILL THIRD PARTY

TRK# 0201 **7731 5469 9514**

THU - 19 MAR 10:30A
PRIORITY OVERNIGHT

XH FTCA

DSR
80524
CO-US
DEN

537J1/879A/EE48

After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is $1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ALS Environmental

Metals

Case Narrative

CH2M HILL Plateau Remediation Company

100-KR-4 Pump and Treat Influent & Effluent Tanks - Water -- F11-002

Work Order Number: 1503381

1. This report consists of 3 water samples.
2. The samples were received intact at ambient temperature by ALS on 03/19/15.
3. The samples had a pH less than 2 upon receipt.
4. The samples were prepared and analyzed based on SW-846, 3rd Edition procedures.

   For analysis by ICP-MS, the samples were digested following method 3005A and the current revision of SOP 806.
5. Analysis by ICP-MS followed method 6020A and the current revision of SOP 827.
6. All standards and solutions are NIST traceable and were used within their recommended shelf life.
7. The samples were prepared and analyzed within the established hold time.

All in house quality control procedures were followed, as described below.

8. General quality control procedures.

   - A preparation (method) blank and laboratory control sample were digested and analyzed with the samples in this digestion batch.
   - The preparation (method) blank associated with this digestion batch was below the reporting limit for the requested analyte. Sample results have been compared to the blank results.
   - All laboratory control sample criteria were met.

- All initial and continuing calibration blanks were below the reporting limit for the requested analyte.
- All initial and continuing calibration verifications were within the acceptance criteria for the requested analyte.
- The interference check samples associated with Method 6020A were analyzed.

9. Matrix specific quality control procedures.

   Sample 1503381-1 was designated as the quality control sample for this analysis.

   Similarity of matrix and therefore relevance of the QC results should not be automatically inferred for any sample other than the native sample selected for QC.

   - A matrix spike and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for accuracy were met.
   - A sample duplicate and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for precision were met.
   - A serial dilution was analyzed with this ICP batch. All acceptance criteria were met.

10. It is a standard practice that samples for ICP-MS are analyzed at a dilution. The 10X factor can be considered an artifact of the prep and does not indicate a secondary dilution and is therefore not flagged as a dilution.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Jill Latelle — 3/30/15
Jill Latelle — Date
Inorganics Primary Data Reviewer

3/30/15
Inorganics Final Data Reviewer — Date

Inorganic Data Reporting Qualifiers

The following qualifiers are used as needed by the laboratory when reporting results of inorganic analyses.

- Result qualifier -- A "B" is entered if the reported value was obtained from a reading that was less than the Reporting Limit but greater than or equal to the Method Detection Limit (MDL). If the analyte was analyzed for but not detected a "U" is entered. For samples, negative values are reported as non-detects ("U" flagged). For blanks, if the absolute value of the negative value is above the MDL and below the reporting limit, then the result is "B" flagged.

- QC qualifier -- Specified entries and their meanings are as follows:

  E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.

  M - Duplicate injection precision was not met.

  N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.

  Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.

  * - Duplicate analysis (relative percent difference) not within control limits.

  S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

  C - The analyte was detected in both the sample and the associated QC blank, and the sample concentration was <=5X the blank concentration.

  D - Analyte was reported at a secondary dilution factor, typically DF>1 (i.e., the primary preparation required dilution to either bring the analyte within the calibration range or to minimize interference). Required for organics/wetchem if the sample was diluted.

Total Recoverable CHROMIUM

Method SW6020A

Sample Results

Lab Name: ALS Environmental -- FC
Client Name: CH2M HILL Plateau Remediation Company
Client Project ID: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water F11-002
Work Order Number: 1503381 **Final Volume:** 50 ml
Reporting Basis: As Received **Matrix:** WATER
Analyst: Brent A. Stanfield **Result Units:** UG/L

Client Sample ID	Lab ID	Date Collected	Date Prepared	Date Analyzed	Percent Moisture	Dilution Factor	Result	RptLimit/ LOQ/LOD	MDL/DL	Flag	Sample Aliquot
B30C74	1503381-1	3/17/2015	3/25/2015	03/26/2015	N/A	10	0.91	10	0.74	B	50 ml
B30C72	1503381-2	3/17/2015	3/25/2015	03/26/2015	N/A	10	0.74	10	0.74	U	50 ml
B30C70	1503381-3	3/17/2015	3/25/2015	03/26/2015	N/A	10	5.7	10	0.74	B	50 ml

Comments:

1. ND or U = Not Detected at or above the client requested detection limit.

Data Package ID: *IM1503381-1*

ICPMS Metals

Method SW6020A

Method Blank

Lab Name: ALS Environmental -- FC
Work Order Number: 1503381
Client Name: CH2M HILL Plateau Remediation Company
ClientProject ID: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water F11

Lab ID: IP150325-4MB

Sample Matrix: WATER
% Moisture: N/A
Date Collected: N/A
Date Extracted: 25-Mar-15
Date Analyzed: 26-Mar-15

Prep Batch: IP150325-4
QCBatchID: IP150325-4-1
Run ID: im150326-10a2
Cleanup: NONE
Basis: N/A
File Name: 080SMPL_

Sample Aliquot: 50 ml
Final Volume: 50 ml
Result Units: UG/L
Clean DF: 1

CASNO	Target Analyte	DF	Result	RptLimit/ LOQ/LOD	MDL/DL	Result Qualifier	EPA Qualifier
7440-47-3	CHROMIUM	10	0.74	10	0.74	U	

Data Package ID: *IM1503381-1*

ICPMS Metals

Method SW6020A

Laboratory Control Sample

Lab Name: ALS Environmental -- FC
Work Order Number: 1503381
Client Name: CH2M HILL Plateau Remediation Company
ClientProject ID: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water F11

Lab ID: IP150325-4LCS

Sample Matrix: WATER
% Moisture: N/A
Date Collected: N/A
Date Extracted: 03/25/2015
Date Analyzed: 03/26/2015
Prep Method: SW3005A

Prep Batch: IP150325-4
QCBatchID: IP150325-4-1
Run ID: im150326-10a2
Cleanup: NONE
Basis: N/A
File Name: 081SMPL_

Sample Aliquot: 50 ml
Final Volume: 50 ml
Result Units: UG/L
Clean DF: 1

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
7440-47-3	CHROMIUM	500	484	10		97	80 - 120%

Data Package ID: *IM1503381-1*

ICPMS Metals

Method SW6020A

Matrix Spike And Matrix Spike Duplicate

Lab Name: ALS Environmental -- FC
Work Order Number: 1503381
Client Name: CH2M HILL Plateau Remediation Company
ClientProject ID: 100-KR-4 Pump and Treat Influent & Effluent Tanks - Water

Field ID: B30C74
LabID: 1503381-1MS

Sample Matrix: WATER
% Moisture: N/A
Date Collected: 17-Mar-15
Date Extracted: 25-Mar-15
Date Analyzed: 26-Mar-15
Prep Method: SW3005 Rev A

Prep Batch: IP150325-4
QCBatchID: IP150325-4-1
Run ID: im150326-10a2
Cleanup: NONE
Basis: As Received

Sample Aliquot: 50 ml
Final Volume: 50 ml
Result Units: UG/L
File Name: 085SMPL_

CASNO	Target Analyte	Sample Result	Samp Qual	MS Result	MS Qual	Reporting Limit	Spike Added	MS % Rec.	Control Limits
7440-47-3	CHROMIUM	0.91	B	476		10	500	95	75 - 125%

Field ID: B30C74
LabID: 1503381-1MSD

Sample Matrix: WATER
% Moisture: N/A
Date Collected: 17-Mar-15
Date Extracted: 25-Mar-15
Date Analyzed: 26-Mar-15
Prep Method: SW3005 Rev A

Prep Batch: IP150325-4
QCBatchID: IP150325-4-1
Run ID: im150326-10a2
Cleanup: NONE
Basis: As Received

Sample Aliquot: 50 ml
Final Volume: 50 ml
Result Units: UG/L
File Name: 086SMPL_

CASNO	Target Analyte	MSD Result	MSD Qual	Spike Added	MSD % Rec.	Reporting Limit	RPD Limit	RPD
7440-47-3	CHROMIUM	475		500	95	10	20	0

Data Package ID: *IM1503381-1*